

GM110B-M**110"****4K Digital Signage Monitor**

Key Feature

- ADSDS Technology
- 4K Resolution
- 500nits
- Slim Bezel (17 mm)
- DP Daisy Chain
- RS232 Daisy Chain
- Built-In Speaker
- Structure Strengthened for Commercial Usage
- 7×24 Operation
- Landscape & Portrait


Specification

Display

Model	GM110B-M
Screen Size (Diagonal)	110 inch
Native Resolution	3840 × 2160
Aspect Ratio	16: 9
Brightness	500 cd/m ²
Display Area	2436.48(H) × 1370.52(V) mm
Contrast	1200:1
View Angle	178°(H) / 178°(V)
Life Time (Light Source)	50,000 Hrs

Interface

A/V Input	HDMI × 4 (1.4 × 2, 2.0 × 2) / DP × 2 (1.2 × 2)
A/V Output	DP × 1 (1.2)
External Control	RS232 × 2 (RJ45, Daisy Chain)
Networks	-
Built-In Speaker	10W × 2(8Ω)



Power

Power supply	AC 100~240V 50/60Hz
Power consumption (Typ.)	≤ 500 W
Power consumption (Standby)	≤ 0.5 W

Environment


Operation temperature	0°C~40°C
Operation humidity	10%~80% RH

Specification

Physical

Bezel	17 mm (Even Bezel)
Body Dimension	2474 (W) × 1408 (H) × 99 (D) mm
Set Weight	80 Kg
Package Dimension	2680 (W) × 1730 (H) × 320 (D) mm
Package Weight	110 Kg
Wall hanging screws	M8, 30
Mounting Position	1500 × 600 mm

Dimension Drawing



Specification



* Stand is not provided as default