

NT32A-40A**32''****400Nits Open Frame Android Touch Signage**

Key Feature

- 1920 × 1080 Resolution with 400nits brightness
- Built-In Speakers
- Android SoC with RK3288 chip Quad core system
- Industrial grade components
- Open frame design with capacitive touch function

Specification

Display

Model	NT32A-40A
Screen Size	32 inch
Native Resolution	1920 x 1080
Brightness	400 cd/m ²
Contrast Ratio	1200:1
Viewing Angle(H/V)	178° (H) / 178° (V)
Display Colors	16.7 M
Color Gamut	72% NTSC
Life Time (Light Source)	30,000 Hrs (Min.)

Drive Board

OS	Android 7.1
CPU	RK3288 Android Quad Core
RAM	DDR3 2G
ROM	8GB
Network	LAN, WIFI
Input Interface	USB x 2 / SIM Card x1 / TF Card x1
Output Interface	HDMI x 1 / Audio x 1
Built-in Speaker	2 x 5W (8Ω)

Touch

Touch Type	10 Points Capacitive Touch
Touch Method	Finger
Touch Accuracy	≤2mm
Touch Response Time	<4ms
Light Transmission	≥85%

Power

Power supply	AC110-240V(50/60HZ)
Power consumption	110W

Environment

Operation temperature	0°C~40°C
Operation humidity	10%~80% RH

Specification

Physical

Color	GRAY or BLACK
Body Dimension	753(H) x 447(V) x 70.1(D)mm
Set Weight	13.8kg
Package Dimension	850(H) x 560(V) x 180(D)mm
Package Weight	17.7kg
Mounting Holes	500x300mm

Dimension Drawing

