


ED2219A

21.5”+19.1”

## Slim Android Elevator Digital Signage



### Key Feature

- Super Slim Design
- 250nits Dual View
- 7 × 24 Operation
- Android 7.1
- Quad-core Cortex-A17
- Built-In Speaker

# Specification

<b>Model</b>	<b>ED2219A</b>	
<b>Display</b>		
<b>Screen Size (Diagonal)</b>	21.5 inch	19.1 inch
<b>Native Resolution</b>	1920 (H) × 1080 (V)	8000 (H) × 480 (V)
<b>Aspect Ratio</b>	16 : 9	16 : 9
<b>Brightness</b>	250 cd/m <sup>2</sup>	300 cd/m <sup>2</sup>
<b>Contrast</b>	1200:1	1200:1
<b>View Angle</b>	178°(H) / 178°(V)	178° /178°
<b>Display Color</b>	16.7M	
<b>Installation Orientation</b>	Landscape only	
<b>Life Time (Light Source)</b>	30,000 Hrs (Min.)	

<b>Interface</b>		
<b>Input</b>	-	
<b>Output</b>	-	
<b>External Control</b>	-	
<b>Networks</b>	LAN × 1 / WiFi	
<b>Others</b>	USB Host x 1 / USB x 1(OTG) / TF Card Slot x 1	
<b>Built-In Speaker</b>	5W × 2 (8Ω)	

<b>Internal Player</b>		
<b>O/S</b>	Android 7.1	
<b>CPU</b>	RK3288 Quad-core Cortex-A17	
<b>GPU</b>	Mali-T764	
<b>RAM</b>	2GB	
<b>ROM</b>	8GB	

<b>Power</b>		
<b>Power supply</b>	AC 100~240V@50/60Hz	
<b>Power consumption</b>	≤ 40 W	

<b>Environment</b>		
<b>Operation Temperature</b>	0°C~40°C	
<b>Operation Humidity</b>	20%~80% RH	
<b>Storage Temperature</b>	-20°C~60°C	
<b>Storage Humidity</b>	20%~80% RH	

# Specification

<b>Model</b>	<b>ED2219A</b>
<b>Physical</b>	Aluminum (Frame) / SPCC(Body)
<b>Color</b>	Silver Gray(Frame) / White(Body)
<b>Tempered Glass</b>	Tempered Glass (3mm Depth)
<b>Body Dimension (W×H×D, mm)</b>	540*455*43
<b>Set Weight</b>	6.5KG
<b>Package Dimension (W×H×D, mm)</b>	580*493*98
<b>Package Weight</b>	7.5KG
<b>Mounting Interface</b>	Exclusive Wall Mount Plate

## Dimension Drawing

ED2219A

Unit: mm

