

VP55L-A**55”****0.88mm Bezel FHD 500nits Video Wall Signage**

Key Feature

- ADSDS Technology
- 0.88mm Super Slim bezel
- 500nits
- FHD Resolution
- DP Loop
- RS232 Control
- VESA Wall Mount Interface

Specification

Display

Model	VP55L-A
Screen Size (Diagonal)	55 inch
LCD Tech.	ADS
Native Resolution	1920 × 1080
Aspect Ratio	16: 9
Brightness	500 cd/m ²
Contrast	1200:1
View Angle	178°(H) / 178°(V)
Display Color	16.7M
Color Gamut	72%
Response Time	8ms
Life Time (Light Source)	50,000 Hrs

Interface

VGA	1(In)
DVI-D	1(In)
HDMI	2(In, 4K × 1/MHL × 1, v2.0)
DP	2 (In&Out, v1.1)
RS232	2 (RJ45, In × 1/Out × 1)
IR	1 (Common use with RS232 in)
USB	-
Built-In Speaker	-



Power

Power supply	AC 100~240V 50/60Hz
Power consumption	TBD

Environment


Operation temperature	0°C~40°C
Operation humidity	10%~80% RH

Specification

Physical

Bezel	0.88 mm
Body Dimension	1210.8 (W) × 681.5 (H) × 96 (D) mm
Set Weight	26.5 Kg
Package Dimension (2 sets inside)	1310 (W) × 800 (H) × 330 (D) mm
Package Weight (2 sets inside)	65 Kg
Handle	2
VESA Mounting	400 × 400

Dimension Drawing



Product Image

